

1000 SC

The Robust One for Vehicles



APPLICATION

ADVANTAGES

In general

- ✓ Fast, gentle, and efficient
- Both climate friendly and health friendly
- ✓ Autonomous, mobile, can be used inside a workshop

Cleaning of large parts

- ✓ Up to 10 tons in combination with collector 1000 SRS
- ✓ Gentle on fragile and complex surfaces
- ✓ Often without chemistry or cleaners

Machine cleaning

- ✓ Using the own emulsion
- ✓ Ideal for areas which are difficult to access or fragile
- ✓ Reduction of stillstand times

Cleaning at and under vehicles

- Cleaning of all mechanical parts directly at the vehicle
- ✓ Significantly cheaper than A1-brake cleaners
- ✓ Complies with rules of German trade associations

Application examples

- ✓ Large parts from truck motor to plane turbines
- Motorblocks, transmissions, axes, tanks, trains...
- Degreasing prior to paint jobs or powder coating

+49 711 518 06-00 www.ph-cleantec.de



Technical Data 1000 SC

- Mobile and independent
- 60 liters water tank
- Automatic water level control
- With standard lance and spray pistol
- Dosing device for cleaning agents
- · Ideal in combination with our collectors



Technical Data	1000 SC
Working pressure	~ 7.5 bar
Working temperature	~ 95°C in 60 seconds
Spray-/water volume	~ 1.8 liters / minute
Type of current	3P-N-PE / 400V / 50Hz / 16A
Power consumption	10.1 KW
Filling capacity	60 liter tank 5 liter concentrate tank
Automatic water level control - tank	Standard
Dimensions	98 x 55 x 67 cm
Weight (empty)	~ 65 kg
Noise level	< 70 dBA
Doing pump and control for cleaner / concentrate	Options DE-DP and DE-ÜW
Water recycling	No water recycling in this unit Possible in combination with collector unit
Pressure control	No pressure control in this unit Possible on the lance with SR-DV
Temperature control	Option 1000 ET
Connector cable	7.5 meters
Hoses	Spray hose lance 5 meters
Chassis in custom colour	Option 1000 WF

Subject to technical modifications. As of August 1, 2019.

+49 711 518 06-00 www.ph-cleantec.de